

Name: _____
Date: _____
Track: _____


Track Conditions

Size: Open Med. Tight
 Traction: High Med. Low
 Surface: Smooth Med. Bumpy

Result

Race Time / Lap: _____
 Best Lap (1Lap): _____


Front Suspension



Rebound Stop: _____


Upright: E2105-B
 E2129

Tension Rod: E2107A(Long)
 E2107B(Short)




Ride Height: _____
 Toe Angle: _____
 Kingpin Ball Spacer(Upper): _____
 (Lower): _____


Wheel Hub: _____
 Anti Roll Bar: _____
 Upper Arm Spacer: _____



Lower Arm Spacer: _____
 Lower Arm Position (Kick Up): _____



Front Shocks






Piston: _____
 Oil: _____
 Spring: _____


Shock Position:

Pivot Ball Position: Front Rear


Rear Suspension




Ride Height: _____
 Camber Angle: _____
 Wheel Hub: _____
 Anti Roll Bar: _____
 Lower Arm Spacer: _____



Upright Spacer:
 Upright: E2131(Plastic)
 E2134(Aluminum)
 Lower Arm Position (Toe Angle): _____



Rear Shocks



Piston: _____
 Oil: _____
 Spring: _____

Shock Position:

Pivot Ball Position: Front Rear

Power Train

Motor: _____
 ESC: _____
 Battery: _____

Diff. Oil

Front: _____ O-Ring: _____ pcs.
 Center: _____ pcs.
 Rear: _____ pcs.

Tires


	Front	Rear
Type:	_____	_____
Compound:	_____	_____
Inserts:	_____	_____
Wheel:	_____	_____

Gearing

Pinion Gear: 12T 13T 14T
 15T 16T 17T
 18T

Spur Gear: 44T(E0255) 46T(E0256)

Body/Wing



Comments

.....

